



# Safety Data Sheet

Prepared by Brenda Gilbert

Issue Date: February 2019

ISSUED by Eazy-Gleam Pty Ltd

## Tyre Gloss

Classified as hazardous according to criteria of NOHSC

---

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

---

**Product Name:** Tyre Gloss

**Product Code:** RDPTS750ML, RDPTS5L, RDPTS20L

**Product Use:** A clear, high gloss silicone cleaner and protectant for bumpers, tyres, side mouldings, mud flaps and silicone lubricant and release agent for food packaging.

#### Details of Supplier/Manufacturer

Company:	Eazy-Gleam Pty Ltd
Address:	36 Richland Avenue, Coopers Plains QLD 4108
Phone:	(07) 3274 2593
Website:	<a href="https://eazygleam.com.au">https://eazygleam.com.au</a>

#### Details of Distributor

Company:	Penske Commercial Vehicles
Address:	Unit 2 Interchange Industrial Park, 181 Viking Drive, WACOL QLD 4076
Phone:	(07) 3271 7777
Website:	<a href="https://www.penske.com">https://www.penske.com</a>

#### Emergency Telephone Numbers

Business Hours:	(07) 3271 7777
After Hours:	0419 714 909
Poisons Information:	Australia: 13 11 26 New Zealand: 0800 764 766

#### Other Information

The information herein is, to the best of our knowledge, correct and complete. It describes the safety requirements for this product and should not be construed as guaranteeing specific properties. Since methods and conditions of application are beyond our control, Eazy-Gleam Pty Ltd does not accept liability for any damages resulting from the use of, or reliance on, this information, in inappropriate contexts.





---

### 2. HAZARDS IDENTIFICATION

---

Hazardous Chemical according to classification by Safe Work Australia  
Dangerous goods according to the Australian Code for the Transport of  
Dangerous Goods by Road and Rail.

**Signal word:** DANGER

GHS Classification	Pictogram	Hazard statement
Flammable Liquids Category 2		H225 Highly flammable liquid and vapour
Aspiration Hazard Category 1		H304 May be fatal if swallowed and enters airways
Toxic to Reproduction Category 2		H361f Suspected of damaging fertility
Specific Target Organ Toxicity (Repeated exposure), Category 2		H373 May cause damage to organs through prolonged or repeated exposure
Skin Corrosion/Irritation Category 2		H315 Causes skin irritation
Specific Target Organ Toxicity (Single exposure), Category 3		H336 May cause drowsiness or dizziness
Chronic Aquatic Toxicity, Category 2		H411 Toxic to aquatic life with long lasting effects



<p><b>GENERAL</b></p> <p>P101 P102 P103</p>	<p>If medical advice is needed, have product container or label at hand Keep out of reach of children Read label before use</p>
<p><b>PREVENTATIVE</b></p> <p>P201 P202 P210 P233 P240 P241 P242 P243 P260 P261 P264 P271 P273 P280 P281</p>	<p>Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep away from heat/sparks/open flames/ hot surfaces – No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilation/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Do not breathe mist/vapours/spray Avoid breathing mist/vapours/spray Wash thoroughly after handling Use only outdoors or in a well-ventilated area Avoid release to the environment Wear protective gloves/eye protection/face protection Use personal protective equipment as required</p>
<p><b>RESPONSE</b></p> <p>P301 + P310 P302 + P352 P303 + P361 + P353  P304 + P340  P308 + P313 0312 P314 P331 P332 + P313 P362 P370 + P378 P391</p>	<p>IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water IF ON SKIN: (or hair): Take off contaminated clothing and wash before reuse. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position Comfortable for breathing IF INHALED: Remove victim to fresh air and keep at rest in a position Comfortable for breathing IF exposed or concerned: Get medical advice/attention Call a POISON CENTER or doctor/physician if you feel unwell Get medical advice/attention if you feel unwell Do NOT induce vomiting If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse In case of fire: Use foam/water spray/fog for extinction Collect spillage</p>
<p><b>STORAGE</b></p> <p>P403 + P233 P403 + P235 P405</p>	<p>Store in a well-ventilated place. Keep container tightly closed Store in a well-ventilated place. Keep cool Store locked up</p>
<p><b>DISPOSAL</b></p>	



P501	Dispose of contents/container in accordance with local regulations
------	--

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

**Ingredients**                      **Name**                      **CAS**                      **Proportion**                      **Hazard**                      **R Phrase**

Chemical Entity	CAS Number	Proportion (%)
Solvent naphtha (petroleum), light aliphatic	64742-89-8	100
With components:		
n-Hexane	110-54-3	<30
Note – product contains < 0.1% benzene		

### 4. FIRST AID MEASURES

#### Description of necessary first aid measures

Inhalation:	Remove victim from exposure if safe to do so. If rapid recover does not occur, transport to nearest medical facility for additional treatment. Remove contaminated clothing
Skin Contact:	If skin contact occurs, remove contaminated clothing and wash skin thoroughly with water and follow by washing with soap if available.
Eye Contact:	If in eyes, hold eyes open, flood with water for at least 15 minutes. If symptoms persist transport to nearest medical facility for additional treatment.
Ingestion:	If swallowed, do NOT induce vomiting. Transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below waist to prevent aspiration.

#### Symptoms caused by exposure

Inhalation:	Breathing of high vapour concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea; continued inhalation may result in unconsciousness and/or death.
Skin:	May include burning sensation and/or a dried/cracked appearance.
Eye:	May include burning sensation, redness, swelling and/or blurred vision.
Ingestion:	May include coughing, choking, wheezing, difficulty in breathing, chest congestion, shortness of breath and/or fever.

#### Medical attention and special treatment

Treat symptomatically



---

## 5. FIRE FIGHTING MEASURES

---

### **Suitable extinguishing equipment**

Foam, water spray or fog, dry chemical powder or carbon dioxide. Do not use water in a jet.

### **Specific hazards arising from the chemical**

Carbon monoxide may be evolved if incomplete combustion occurs. Will float and can be reignited on surface water. Vapour is heavier than air, can spread along ground and distant ignition is possible.

### **Special protective equipment and precautions for fire fighters**

Wear full protective clothing and self-contained breathing apparatus. Hazchem code 3YE.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

### **Personal precautions, protective equipment and emergency procedures**

Avoid contact with spilled or released material. Shut off leaks, if possible without personal risks. Isolate hazard area and deny entry to unnecessary or unprotected personnel. Remove all sources of ignition in the surrounding area. Take precautionary measure against static discharge. Ensure electrical continuity by bonding and earthing all equipment.

### **Environmental precautions**

Use appropriate containment to avoid environmental contamination. Prevent from spreading and entering waterway using sand, earth or other appropriate barriers. Attempt to disperse the vapour or to direct its flow to a safe location for example by using fog sprays. Ventilate contaminated area thoroughly.

### **Methods and materials for containment and cleaning up**

For small spill (<1 drum), transfer by mechanical means to a labelled, sealable container for product recovery or safe disposal. Allow any residues to evaporate or use an appropriate absorbent, material and dispose of safely.

For larger spills (>1 drum), transfer by means such as a vacuum truck to a salvage tank for recovery or disposal. Do not flush residues with water. Retain as contaminated waste. Allow any residues to evaporate or use an appropriate absorbent material and dispose of safely.



## 7. HANDLING AND STORAGE

### Precautions for safe handling

Highly flammable product. Avoid breathing vapours. Handle and open containers with care in a well-ventilated area. Ensure that the workplace is ventilated such that the Occupational Exposure limit is not exceeded. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not eat, drink or smoke in contaminated areas. Electrostatic charges may be generated during transfer. Electrostatic discharge may cause fire. Ensure electrical continuity by earthing all equipment.

### Conditions for safe storage, including any incompatibilities

Store in a well-ventilated area, away from sunlight, ignition sources and other sources of heat. Do not store near strong oxidants.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure control measures

From National Occupational Health & Safety Commission (NOHSC) Worksafe Australia –  
n-Hexane: 72mg/m<sup>3</sup> (20ppm)TWA (8hr)  
Refined mineral oil mist: 5mg/m<sup>3</sup> TWA

### Biological monitoring

No biological limit allocated

### Engineering controls

Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure

s. Avoid generating and inhaling mists and vapours.

Keep containers closed when not in use.

### Individual protection measures

Eye and face protection:	Wear safety goggles.
Skin protection:	Use solvent resistant gloves, nitrile for longer term protection or PVC and Neoprene for incidental splashes.
Respiratory protection:	If work practices do not maintain airborne level below the exposure standard, use appropriate respiratory protection equipment. When using respirators, select an appropriate combination of mask and filter. Select a filter for organic gases and vapours (Boiling point >65 <sup>o</sup> C). Respirators should comply with AS/NZS 1716 or an equivalent approved by a state/territory authority.
Thermal hazards:	Not applicable



---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Appearance:	Colourless liquid
Odour:	Paraffinic sweet
Odour threshold (ppm):	Data not available
pH:	Data not available
Melting point/freezing point (°C):	Data not available
Initial boiling point and boiling range (°C):	50 - 135
Flash point (°C):	-30 (Abel)
Evaporation rate (Butyl acetate =1):	Data not available
Flammability:	Highly flammable
Upper/lower flammability or explosive limits (%):	1 - 75
Vapour pressure (kPa):	Typical 34.5
Vapour density (air =1):	>1
Density (g/ml @ 15°C):	0.67 - 0.755
Solubility (kg/m <sup>3</sup> ):	Not miscible with water
Partition coefficient: n-octanol/water:	Data not available
Auto-ignition temperature (°C):	280 (ASTM E-659)
Kinematic viscosity (mm <sup>2</sup> /s @ 20°C):	Data not available
	Data not available

---

## 10. STABILITY AND REACTIVITY

---

### Reactivity

Stable under normal conditions of use.

### Chemical stability

Stable under normal conditions of use.

### Possibility of hazardous reactions

Reacts with incompatible materials

### Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

### Incompatible materials



Strong oxidising agents

### Hazardous decomposition products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including Carbon monoxide, carbon dioxide and other organic compounds.

---

## 11. TOXICOLOGICAL INFORMATION

---

Acute toxicity:	Expected to be of low toxicity – LD50 Oral (rat) > 2000mg/kg, LD50 Inhalation (rat)>20mg/l/4h, LD50 Dermal (rat)>2000mg/kg
Skin corrosion/irritation:	Irritating to skin. Prolonged contact may cause defatting of skin Which can lead to dermatitis.
Serious eye damage/Irritation	May cause irritation to eyes.
Respiratory or skin Sensitisation:	Not expected to be a sensitiser.
Germ cell mutagenicity:	Not expected to be mutagenic.
Carcinogenicity:	Not expected to be carcinogenic
Reproductive toxicity:	Toluene – Experiments have shown reproductive toxicity effects in Male and female laboratory animals. Suspected human reproductive toxicant. Damage to foetus possible. n-Hexane – Causes foetal toxicity in animals at doses which are maternally toxic. Affects reproductive system in animals at doses which produces other toxic effects.
Specific Target Organ Toxicity (STOT)-single exposure:	May cause drowsiness or dizziness.
Specific Target Organ Toxicity (STOT)-Repeated exposure:	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard:	Aspiration into the lungs when swallowed or vomited may cause Chemical pneumonitis, which can be fatal.





---

## 12. ECOLOGICAL INFORMATION

---

### Exotoxicity

Acute toxicity:

Fish

Fish	Expected to be toxic: 1 <LC/EC/IC50<=10mg/l
Aquatic invertebrate	Expected to be toxic: 1 <LC/EC/IC50<=10mg/l
Algae	Expected to be toxic: 1 <LC/EC/IC50<=10mg/l
Microorganisms	Expected to be toxic: 1 <LC/EC/IC50<=10mg/l

Chronic toxicity:

Fish	Data not available
Aquatic invertebrate	Data not available
Algae	Data not available
Microorganisms	Data not available

### Persistence and degradability

Expected to be inherently biodegradable. Oxidises by photo-chemical reactions in air.

### Bio accumulative potential

Has the potential to bio accumulate

### Mobility in soil

Floats on water. Absorbs to soil and has low mobility.

### Other adverse effects

Data not available

---

## 13. DISPOSAL CONSIDERATIONS

---

Ensure waste disposal conforms to local waste disposal regulations.

---

## 14. TRANSPORT INFORMATION

---

<b>UN number:</b>	1268
<b>Proper shipping name:</b>	Petroleum Distillates, N.O.S. (Solvent Naphtha)
<b>Australian Dangerous Goods Class</b>	3
<b>Australian Dangerous Goods packing group:</b>	II



<b>Hazchem code:</b>	3YE
----------------------	-----

---

## 15. REGULATORY INFORMATION

---

Standard for the Uniform Scheduling of Medicines And Poisons (SUSMP). Poisons Schedule:	5
Australian Inventory of Chemical Substances (AICS):	Listed
Dangerous Goods Initial Emergency Response Guide (SAA/SNZ HB76):	14
New Zealand HSNO, Classification:	Solvents (Flammable) Group Standard Classification – 3.1B, 6.1E, 6.3A, 6.8B, 6.9B, 9.1B

---

## 16. OTHER INFORMATION

---

Date of Preparation:	11 February 2019
Revision number:	2
Changes in this revision:	Added NZ compliance

**Contact Person/Point**  
Technical Manager 0419 714 909

...End of MSDS...